

TRACTION LULA ELEVATOR

Dynamic Sensibility



COMMERCIAL

trustram.com
1-800-563-4382






REACH NEW HEIGHTS

A true hybrid between a commercial elevator and a lift, RAM's Traction LULA (Limited Use Limited Application) Elevator thrives in low-rise buildings where full-sized passenger elevators become impractical. With simple controls and an automatic call button, the Traction LULA boasts a highly intuitive rider-experience that emphasizes accessibility and convenience.

As our farthest-travelling, highest weight carrying commercial elevator, the Traction LULA Elevator is a smart space design that exemplifies our belief that function can blend perfectly with form.



trustram.com
1-800-563-4382

THE HIGHLIGHTS

IDEAL FOR:



Indoor
Use



Commercial
Spaces



Multiple
Entry/Exit

LIFTING CAPACITY:

1400 LBS

TRAVEL SPEED:

30 FT/MIN

TRAVEL DISTANCE:

UP TO 25 FT

ENTRANCE/EXIT POINTS:

**in-out same side,
straight through**

MAX PLATFORM SIZE:

18 square feet

CUSTOMIZATION:

**Each LULA is built for
your space.**



trustram.com
1-800-563-4382



KEY FEATURES

Total Customization

Take advantage of smart space design: From travel distance, sizing and space limitations, the RAM LULA can be seamlessly integrated into your space.

Automatic Call Button

Call the Traction LULA Elevator with the single touch of a button.

Fully Counter Balanced Traction Drive

The LULA's fully counter balanced traction drive uses at least 50% less energy than other comparable products.

Rigid Guide Rail Structure

Forgo special wall reinforcement in favour of standard construction.

Self Lubricating

The Traction LULA Elevator's guide system and rollers keep the unit running smoothly while optimizing performance.

Standard Fire Rated Interior


Confidently meet the required level of fire protection needed in your building.

Limited Pit Required

RAM Traction LULA requires a 12" pit.

RA = RAM Advantage, an essential feature found in all of our products.

trustram.com
1-800-563-4382



Machine-Room Less (MRL) Design **RA**

While other elevators may need a separate room for essential machinery, every RAM product is compact and self-contained, saving you space, time and money.

Low Overhead Clearance **RA**

RAM delivers the most space-efficient traction MRL on the market. All drive components mount directly to the top of the RAM rigid guiderail frame fitting into low top-floor ceiling heights.

Soft Start/Stop **RA**

Thoughtful engineering means every ride on a RAM product begins and ends with comfort in mind.

All-Electric Drive System **RA**

RAM's field-proven electric drive system is reliable, powerful and whisper-quiet.

Plus, no hydraulic fluid = no harsh smells.



LEADING-EDGE QUALITY AND DEPENDABILITY

Superior Reliability

Three tiers of emergency auxiliary power are available for every RAM product:

1. Emergency manual crank & battery backup for car lighting and controls (Standard)
2. Battery backup lowering will run the motor in the down direction during a power outage (Optional)
3. Full battery 40-cycle backup that will run the motor with full load for 40 cycles during a power outage (Optional)

Maintenance

The RAM Traction LULA is designed to offer a long life cycle with minimum maintenance. That said, maintenance for LULA is defined by local code/regulatory requirements, so please check your local code requirements.

Power Requirements

220 VAC, 1PH, 20A MAIN Power

110 VAC, 1PH, 15A Aux Power

Warranty

The RAM Traction LULA Elevator is covered by a 2 year parts warranty. Extended Warranties Available, Contact RAM for details.

Code Relevance

Designed to meet ASME A17.1/ B44 safety standards when properly equipped.

While RAM's Traction LULA Elevator meets national standards, it is imperative to check State/Provincial and Local code requirements before installing to ensure compliance. All State/ Provincial and Local compliance is the responsibility of the purchaser. Some states may require fees for site preparation and permits.



trustram.com
1-800-563-4382

